Tarih	Konu	Sunan Hekim
04.10.23	First-Line Nivolumab Plus Ipilimumab With Chemotherapy Versus Chemotherapy Alone for Metastatic NSCLC in CheckMate 9LA: 3-Year Clinical Update and Outcomes in Patients With Brain Metastases or Select Somatic Mutations Adding Nivolumab to Stereotactic Ablative Radiotherapy Might Extend Survival for Patients with Early-Stage NSCLC,	Dr. Saadet Sim
18.10.23	Talazoparib plus enzalutamide in men with first-line metastatic castration-resistant prostate cancer (TALAPRO-2): a randomised, placebo-controlled, phase 3 trial Niraparib Plus Abiraterone Acetate and Prednisone Improves rPFS and Other Clinically Relevant Outcomes in First-Line Treatment for Patients with mCRPC(MAGNITUDE trial)	Dr. Aslı Geçgel
01.11.23	First-line systemic treatment strategies in patients with initially unresectable colorectal cancer liver metastases (CAIRO5): an open-label, multicentre, randomised, controlled, phase 3 study from the Dutch Colorectal Cancer Group Avelumab vs Standard Second-Line Chemotherapy in Patients With Metastatic Colorectal Cancer and Microsatellite Instability A Randomized Clinical Trial	Dr. Caner Acar
15.11.23	First-line cemiplimab monotherapy and continued cemiplimab beyond progression plus chemotherapy for advanced non-small-cell lung cancer with PD-L1 50% or more (EMPOWER-Lung 1): 35-month follow-up from a mutlicentre, open-label, randomised, phase 3 trial Tagrisso plus chemotherapy extended median progression-free survival by nearly 9 months in EGFR-mutated advanced lung cancer in FLAURA2 Phase III trial	Dr. Salih Tünbekici

29.11.23		Dr. Oğuzcan Özkan
	Perioperative Chemoimmunotherapy With Durvalumab for Muscle-Invasive Urothelial Carcinoma: Primary Analysis of the Single-Arm Phase II Trial SAKK 06/17	
	Study EV-103: Neoadjuvant treatment with enfortumab vedotin monotherapy in cisplatinineligible patients (pts) with muscle invasive bladder cancer (MIBC): Updated results for Cohort H.	
10.10.00		Do Cilhar Cabia
13.12.23	Neoadjuvant palbociclib plus either giredestrant or anastrozole in oestrogen receptor-positive, HER2-negative, early breast cancer (coopERA Breast Cancer): an open-label, randomised, controlled, phase 2 study Pertuzumab Plus Trastuzumab With or Without Chemotherapy Followed by Emtansine in <i>ERBB2</i> -Positive Metastatic Breast CancerA Secondary Analysis of a Randomized Clinical Trial	Dr. Gökhan Şahin
27.12.23		Dr Buket Şahin Çelik
	Efficacy of Metronomic Oral Vinorelbine, Cyclophosphamide, and Capecitabine vs Weekly Intravenous Paclitaxel in Patients With Estrogen Receptor—Positive, <i>ERBB2</i> -Negative Metastatic Breast CancerFinal Results From the Phase 2 METEORA-II Randomized Clinical Trial	
	Capivasertib in Hormone Receptor-Positive Advanced	
	Breast Cancer	
08.11.23	Final 5-Year Follow-Up Results Evaluating Neoadjuvant Talimogene Laherparepvec Plus Surgery in Advanced MelanomaA Randomized Clinical Trial	Dr Haydar Çağatay Yüksel
	Nivolumab Plus Ipilimumab vs Nivolumab Alone in Advanced Cancers Other Than Melanoma A Meta-Analysis	

22.11.23	Cytoreductive surgery with or without hyperthermic intraperitoneal chemotherapy in patients with advanced ovarian cancer (OVHIPEC-1): final survival analysis of a randomised, controlled, phase 3 trial Intraperitoneal Carboplatin for Ovarian Cancer — A Phase 2/3 Trial	Dr. Fatma Pınar Açar
06.12.23	Olaparib plus abiraterone versus placebo plus abiraterone in metastatic castration-resistant prostate cancer (PROpel): final prespecified overall survival results of a randomised, double-blind, phase 3 trial Rucaparib or Physician's Choice in	Dr. Pınar Peker
	Metastatic Prostate Cancer	
Gelecek makaleler;	Preoperative Treatment of Locally Advanced Rectal Cancer(PROSPECT trial)	
	Oral Selinexor as Maintenance Therapy After First-Line Chemotherapy for Advanced or Recurrent Endometrial Cancer	
	First-Line Enfortumab Vedotin Plus Pembrolizumab in Cisplatin-Ineligible Patients With Locally Advanced or Metastatic Urothelial Cancer	
	Perioperative Use of Pembrolizumab in Early-Stage NSCLC KEYNOTE 671	
	Tumor Treating Fields therapy with standard systemic therapy versus standard systemic therapy alone in metastatic non-small-cell lung cancer following progression on or after	

platinum-based therapy (LUNAR): a randomised, open-label, pivotal phase 3 study	
Preoperative Treatment of Locally Advanced Rectal Cancer(PROSPECT trial)	